

STATE OF WASHINGTON DEPARTMENT OF ECOLOGY

15 W Yakima Ave, Ste 200 • Yakima, WA 98902-3452 • (509) 575-2490

April 11, 2013

ConAgra Foods Lamb Weston, Inc Attn: Reagan Grabner PO Box 1900 Pasco, WA 99302-1900

Re: Water Right Application No. CS4-16571(D)@4

Dear Mr. Grabner:

Enclosed is a copy of the Department of Ecology's *Temporary Change Authorization*. This document contains our decision regarding your application.

Your application has been approved.

If you have any questions or for other options to protect your water right, please contact Tom Perkow at (509) 454-4261.

Sincerely,

Mark C. Schuppe

Operations Manager

Office of Columbia River

MCS:RAZ (130434)

Enclosures: Temporary Change Authorization

Your Right To Be Heard

Water Measurement Device Installation and Operation Requirements (070-170)

Cc: Philip Rigdon, Yakama Nation

Tim Reierson

By certified mail: 7009 2250 0004 4950 7730

FILE COPY



4950 7730	U.S. Postal Service MAIL RE CERTIFIED MAIL RE (Domestic Mail Only; No Insurance	Coverage Provided)
	For delivery information visit our websit O F C A Postage \$	LUSE
7009 2250 0004	PASCO WA 99302-1900	
	PS Form 3800, August 2006	See Reverse for Instructions

SENDER: COMPLETE THIS SECT Complete items 1, 2, and 3. Also ditem 4 if Restricted Delivery is dessible. Print your name and address on it so that we can return the card to your address on the sort of the or on the front if space permits. CONAGRA FOODS LAMINATTN: REAGAN GRABN PO BOX 1900 PASCO WA 99302-1900	complete ired. ne reverse /ou. mailpiece,		Agent Addressee
		Tinsdied Iviali Li C.O.D.	pt for Merchandise
Article Number (Transfer from service label)	7009 2251	4. Restricted Delivery? (Extra Fee)	☐ Yes
PS Form 3811, February 2004	Domestic Retu		102595-02-M-1540



State of Washington Seasonal/Temporary Change Authorization CS4-16571(D)@4

For 2013 and 2014 Only

File NR CS4-16571(D)@4 WR Doc ID 5525694

APPLICATION SUBMITTAL February 4, 1971

MAILING ADDRESS ConAgra Foods Lamb Weston, Inc. Attn: Reagan Grabner PO Box 1900 Pasco, WA 99302-1900

SEASONAL CHANGE AUTHORIZATION NUMBER CS4-16571(D)@4

SITE ADDRESS (IF DIFFERENT) No specific address for these irrigated acres. Generally, the place of use is high up on Canoe Ridge, west of Paterson, WA.

Quantity Authorized for Diversion

DIVERSION RATE 3.23

UNITS **CFS**

ANNUAL QUANTITY (AF/YR) 616.3

Purnose

. 4.7555						
	DIVERSION RATE			ANNUAL QUANTITY (AF/YR)		PERIOD OF USE
PURPOSE	ADDITIVE	NON-ADDITIVE	UNITS	ADDITIVE	NON-ADDITIVE	(mm/dd)
Irrigation	3.23		CFS	616.3		02/15 - 10/31

REMARKS

This change is seasonal for the 2013 and 2014 irrigation seasons only.

ADDITIVE 145

IRRIGATED ACRES NON-ADDITIVE

PUBLIC WATER SYSTEM INFORMATION WATER SYSTEM ID N/A

CONNECTIONS

Source Location WATER RESOURCE INVENTORY TRIBUTARY TO WATERBODY COUNTY AREA Columbia RIver Pacific Ocean 31-Rock-Glade Benton SOURCE FACILITY/DEVICE PARCEL TWP LATITUDE LONGITUDE RNG SEC QQQ Columbia River 04N 24E.W.M. 04 GL₁

Place of Use

PARCELS (NOT LISTED FOR SERVICE AREAS) 127543000000000 and 134541000000000 LEGAL DESCRIPTION OF AUTHORIZED PLACE OF USE S½S½ of Section 27 and the N½N½ of Section 34 both in T. 5 N., R. 24 E.W.M.

Proposed Works

Irrigation system is already in place and operable. Meter dedicated to the site to be installed.

Development Schedule

BEGIN PROJECT

COMPLETE PROJECT

PUT WATER TO FULL USE

N/A

Completed

In Full Use

Measurement of Water Use

How often must water use be measured?

rtad to

How often must water use data be reported to

Annually (Jan 31)

Weekly

Ecology?

What volume should be reported?

What rate should be reported?

Total Annual Volume in acre-feet Annual Peak Rate of Diversion (cfs)

Provisions

Measurements, Monitoring, Metering and Reporting

An approved measuring device must be installed and maintained that is dedicated to measuring water use under this authorization only. The measuring device shall be installed and maintained in accordance with the rule "Requirements for Measuring and Reporting Water Use", Chapter 173-173 WAC, which describes the requirements for data accuracy, device installation and operation, and information reporting. It also allows a water user to petition the Department of Ecology for modifications to some of the requirements.

Recorded water use data from the dedicated measuring device shall be submitted via the Internet. To set up an Internet reporting account, contact the Central Regional Office. If you do not have Internet access, you can still submit hard copies by contacting the Central Regional Office for forms to submit your water use data.

Department of Fish and Wildlife Requirement(s)

The intake(s) must be screened in accordance with Department of Fish and Wildlife screening criteria (pursuant to RCW 77.57.010, RCW 77.57.040, and RCW 77.57.070). Contact the Department of Fish and Wildlife, 600 Capitol Way N, Olympia, WA 98501-1091. Attention: Habitat Program, Phone: (360) 902-2534 if you have questions about screening criteria. http://wdfw.wa.gov/about/contact/.

No dam or weir may be constructed in connection with this diversion.

Quantity Limits, Flow and Regulation

This change does not authorize an enlargement of those quantities in cubic feet per second or acre-feet per year as described under S4-16571(D)P.

One hundred forty-five (145) acres of the original place of use of Surface Water Permit S4-16571(D)P shall be fallowed for the duration of the 2013 and 2014 irrigation seasons, unless other rights are transferred to cover these 145 acres pursuant to RCWs 90.03.380 or 390. Irrigation occuring during the 2013 and 2014 irrigation seasons within the transferred 145 acres of the place of use of S4-16571(D)P shall constitute a violation of the terms of this authorization, and will result in its immediate termination – unless other rights are transferred to cover these 145 acres pursuant to RCWs 90.03.380 or 390. Other enforcement actions, including but not limited to fines and/or penalties, may also follow as a result of a violation.



Easement and Right-of-Way

The water source and/or water transmission facilities are not wholly located upon land owned by the applicant. Issuance of a water right change authorization by this department does not convey a right of access to, or other right to use, land which the applicant does not legally possess. Obtaining such a right is a private matter between applicant and owner of that land.

Water Use Efficiency

The water right holder is required to maintain efficient water delivery systems and use of up-to-date water conservation practices consistent with RCW 90.03.005.

Schedule and Inspections

This seasonal change shall expire at the end of the 2014 irrigation season, being October 31, 2014, at which time the transferred 145 acres of the place of use shall automatically revert back to that described under S4-16571(D)P.

Department of Ecology personnel, upon presentation of proper credentials, will have access at reasonable times, to the project location, and to inspect at reasonable times, records of water use, wells, diversions, measuring devices and associated distribution systems for compliance with water law.

General Conditions

Nothing in this authorization shall be construed as satisfying other applicable federal, state, or local statutes, ordinances or regulations.

Ecology assumes no liability for the purchase and/or construction of any permanent facilities in conjunction with this seasonal change authorization. Applicants for seasonal change should not construe that a seasonal change will result in the granting of a permanent change of water right.

Authorization

DATED this

of

, 2013

Mark C. Schuppe

Operations Manager

Your Right To Appeal

You have a right to appeal this Order to the Pollution Control Hearings Board (PCHB) within 30 days of the date of receipt of this Order. The appeal process is governed by Chapter 43.21B RCW and Chapter 371-08 WAC. "Date of receipt" is defined in RCW 43.21B.001(2).

To appeal you must do the following within 30 days of the date of receipt of the Order.

File your appeal and a copy of this Order with the PCHB (see addresses below). Filing means actual receipt by the PCHB during regular business hours.

- Serve a copy of your appeal and this Order on Ecology in paper form by mail or in person. (See addresses below.) E-mail is not accepted.
- You must also comply with other applicable requirements in Chapter 43.21B RCW and Chapter 371-08 WAC.

Street Addresses	Mailing Addresses			
Department of Ecology	Department of Ecology			
Attn: Appeals Processing Desk	Attn: Appeals Processing Desk			
300 Desmond Drive SE	PO Box 47608			
Lacey, WA 98503	Olympia, WA 98504-7608			
Pollution Control Hearings Board	Pollution Control Hearings Board			
1111 Israel RD SW Ste 301	PO Box 40903			
Tumwater, WA 98501	Olympia, WA 98504-0903			

For additional information visit the Environmental Hearings Office Website: http://www.eho.wa.gov. To find laws and agency rules visit the Washington State Legislature Website: http://www1.leg.wa.gov/CodeReviser.